

## Specification Smelne Vlet 42 OC Demo

<b>Smelne Vlet 42 OC Luxury</b>	
CE-catagory	B
Length over all	+/-12.98m
Length waterline	+/- 11.40m
Beam over all	+/- 4.15m
Draught	+/- 1.15m
Air draught	2.50m
Headroom	+/- 1.98m
Hull steel	5mm
Superstructure	4mm
Deck	4mm
Passing through keel (protection propeller)	22mm
Weight	+/- 16.280Kg
Hull shape	Multichine
Bulkheads	3
Engine	Perkins M150 Ti 108,8kW (150hp)
Alternator	90 Amp
Engine control electric	single lever
Stainless steel water lubricated propeller shaft	Ø 45mm
4-blade propeller	X
Steering	hydraulic
Generator Fischer Panda 8000i	X
Water seperator generator	X
Exhaust system synthetic material	X
<b>Technical details</b>	
Maintenance free propeller shaft in system	X
Aquadrive	X
Cooling water filter of the engine in double version	X
Magnesium anodes	6
Smelne Isolation packet	X
Bipolar electrical system in ducts, Empi-Bus	X
Mainswitch for start- and domestic system	X
Shore connection 220V/16Amp. in stainless steel	X
Maintenance free AGM batteries in 2 groups - 12V 1x200Ah/3x200Ah	X
220V wall sockets	10
12V wall sockets	2
Emergency switch 220 V	X
Inverter/charger combi Victron Quattro12V/3000W, 120Amp	X
Power display	X
220V shore connection cable 20m	X
Bow thruster hydraulic 160 Kgf	X
Stern thruster hydraulic 160 Kgf	X
Two position bow- and stern thruster joystick	X
Stainless steel watertanks with inspection hatch	+/-1.200L
Automatic drink-watersystem	X

Combi calorifier integrated in Kabola heater	X
Fuel tank with inspection hatch	+/- 750L
Emergency valve between fuel pipes	X
Fuel pipes ISO 7840	X
Holdingtank	+/-260L
Electric mecerator pump	X
Central heating Kabola Combi HR 400 with convectors/radiators in all cabins	X
Environment friendly automatic fire extinguisher in engine room	X
Lighting in engine room	X
Deckwashpump (connected on drinkwater tank)	X
Shower drain incl. electric pump system	X
Fresh water pump with expansion tank	X
Electric bilgepump with automatic level switch	3
Empi-Bus electric system	X
<b>Windows and stainless steel fitting</b>	
Windows with Security safety glass	X
Windows fitted in anodised aluminium frames	X
Double glazing in saloon, Thermic Line	X
Grey tinted windows	X
Sliding windows in saloon BB and SB in double glazing	X
Fly screens for sliding windows in saloon	X
Opening window in saloon	1
Portholes in frontcabin can also be opened	6
Portholes in hull can also be opened	2
Escapehatch in forward cabin 50x50	X
Escapehatch in guest cabin 50x37	X
Escapehatch in toilet and shower 50x37	X
Polished stainless steel railing	X
Polished stainless steel bathing ladder integrated and build in sunk	X
Polished stainless steel handrailing on saloon roof	X
Polished stainless steel bollards	6
Polished stainless steel cleats	4
Polished stainless steel protection	X
Polished stainless steel anchor	30 kg
Polished stainless steel anchor plate	X
Stainless steel under fender	X
Escape hatch with stainless steel foundations	X
<b>Interior outfitting</b>	
Interior arrangement as on layout drawing	X
Cork isolation between superstructure and interior	X
Isolation Resifoam sprayed in complete ship untill water line	X
Interior in American cherry wood	X
White Vilon between windows	X
White ceiling panels	X
Chrome halogen deck lights	17
Chrome reading lights in frontcabin and in guest cabin	4
Fly screens/darkening combi under the escape hatches	3
Granite on galley worktop	X
Granite worktop in toilet	X

Shower wall in white Formica	X
Chrome button closure for cabinet doors	X
Solid doors with stainless steel fittings	X
Interior steptops massive cherry wood	X
Saloon table	X
Steering chair	X
Teak/ash floor in galley	X
130ltr fridge with freezing compartment	X
Electric cooker 4-fl., ceramic	X
Exhaust hood De Luxe with teak frame	X
Dishwasher	X
Combi-microwave	X
Stainless steel sink in kitchen	X
Built-in washbasin shower and toilet (white)	X
Shower wall with clear glass	X
Epoxy floor in shower	X
Luxury single lever chrome watertaps	X
Window wiper parallel	3
Flatscreen television with digitenne	X
Electric toilet incl. 2-way valve	X
Radio/CD with 2 speakers in saloon	X
Preparation VHF (wiring)	X
Fire extinguisher 2 kg	2
Upholstery, carpet and curtains as exposed - leather saloon couch	X
<b>Outside equipment</b>	
Massive teak entrance doors	4
Integrated bathing platform with massive teakdeck	X
Two integrated semicircular stairs to aft bathing platform	X
Electric anchorwinch with 40m chain	X
Saloon roof over open cockpit with deck lighting	X
Open cockpit with cabrio cover and massive teak deck	X
Polished ovale stainless steel top on gunnel open cockpit	X
Integrated couch in cockpit with upholstery	X
Door in transom from cockpit to bathing platform	X
Storage space under the floor in the cockpit	X
Smelne stainless steel flagpole	X
DHI Navigvignations lighting	X
Airhorn	X
Saloon roof with closed roof edge	X
Stainless steel water drainage from salon roof till waterline	6
Electric sliding hatch in saloon above steering position	1.50 x 1.10m
Stainless steel tank inlets	X
Rope fendering port/stb	X
Fendering bathing platform	Hakorite
Fenders with lines	4
Mooring ropes	4
Stainless steel flagpole with yard flag	X
Stainless steel flagpole with national flag	X
Pitchhook	X
Emergency steering according CE	X

Name of ship and harbour	X
<b>Steering position</b>	
Steering position in leather design	X
Single lever control	Electric
Instrumentpanel	X
Volt indicator with alarm	X
Revolution counter	X
Hour counter	X
Oil pressure indicator with alarm	X
Temperature indicator with alarm	X
Claxon button	X
Watertank indicator	X
Fuel tank indicator	X
Sewage tank indicator	X
Rudder indicator	X
Radio/Cd	X
Depth	Raymarine i 70
Sumlog	Raymarine i 70
Compass	Raymarine i 70
Chartplotter/GPS 12 inch screen	Raymarine C125
Camera on the back of the ship (reverse image)	Raymarine
Autopilot SPX 30 with P70r control panel	Raymarine
Steering wheel mahogany/stainless steel	X
<b>Painting system</b>	
Painting system 2-components Alexseal	X
Colour as exposed in metallic	X
Extra layer 2-components Premium Top Coat	X
Antislipcoating on decks	X
Underwatership 2-components environment friendly antifouling	X
Extra layer 2-components Interior Coating all lying parts	X
Interior sprayed complete in 2-components	X
Antislip on saloon deck	X
<b>Miscellaneous</b>	
Smelne instructions manuals	X
250 liter fuel	X
<i>Price excluding VAT according specification mentioned above</i>	<i>On request</i>



